

**IN THE CLAIMS:**

Please cancel claims 3, 4, 6 and 9, amend claims 1, 2, 5, 7, 8, 10, 11 and add new claim 12 as follows:

1. (Currently Amended) Transport assembly comprising a transportation means which comprises a pallet-like carrying structure ~~[[with]]~~ having two long sides, two short sides, four corners, an upper surface and a lower surface, that the carrying structure is provided with wheels at each of the four corners of which at least two of the wheels ~~possibly optionally~~ are of the swivel ~~caster~~ caster wheel type, that the upper surface furthermore is provided with receiving means which are intended to receive the wheels of a second transportation means stacked on top of a first transportation means so that a number of such transportation means may be stacked, and fixated horizontally, one on top of the other, the upper surface being provided with two narrow long side channels arranged parallel to the long sides and stretching from one short side to the other, the long side channels being ~~placed~~ arranged at a distance from each other which is mainly equal to the distance between the wheels, as seen from a short side, wherein transportation means may be ~~placed~~ arranged one on top of the other by rolling them into engagement with each other in a lengthwise ~~direction characterised in that~~ wherein the transport assembly further comprises a plurality of containers stacked on top of the transportation means and a lid applied on top of the stack of containers, wherein the lid is provided with receiving means which are intended to receive the wheels of a second transportation means of a second transport assembly stacked on top of a first transportation means so that a plurality of such transport assemblies may be stacked, and fixated horizontally, one on top of the other, an upper surface of the lid being provided with two parallel narrow long side channels of the lid stretching from one short side of the lid to the other, the long side channels of the lid being arranged at a distance from each other which is mainly equal to the distance between the

wheels, as seen from a short side, wherein transportation means may be arranged on top of the lid by rolling it into engagement with the lid in a lengthwise direction.

2. (Currently Amended) Transport assembly according to claim 1, ~~characterised in that~~ wherein the stack of containers and the lid is secured to the transportation means by means of tensional straps.

3. (Canceled).

4. (Canceled).

5. (Currently Amended) Transport assembly according to ~~any of the claims 1-4, characterised in that~~ claim 1 wherein the containers are provided with a base and four foldable side walls

6. (Canceled).

7. (Currently Amended) Transport assembly according to ~~claim 6, characterised in that~~ claim 1 wherein the long side channels of the lid are provided with channel stoppers of the lid placed at a distance from each of the short side ends of the long side channels of the lid, which distance is adapted to the radius of the wheels so that a wheel is prevented from moving inwards or outwards in the long side channel of the lid.

8. (Currently Amended) Transport assembly according to ~~claim 1 wherein 7, characterised in that~~ inner channel stoppers of the lid are placed at a position corresponding to the vertical swiveling axis of the swivel castor wheels.

9. (Canceled).

10. (Currently Amended) Transport assembly according to ~~claim 1 wherein 6, characterised in that~~ the lid is on its lower side provided with protrusions intended to

interact with upper side wall edges of the containers, said interaction resulting in stabilizing a stack of containers.

11. (Currently Amended) Transport containers according to claim 2, ~~characterized in that~~ wherein the tensional strap comprises a strap and a tensioning device, said tensioning device being integrated in the transportation means.

12. (New) Transport containers according to claim 1, wherein the carrying structure is provided with wheels at each of the four corners of which at least two of the wheels are swivel caster wheels.